SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519

1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Product name : 4-Methyl-2-pentanol

CAS No. : 108-11-2

Manufacturer or supplier's details

Company : Heynova (Shanghai) New Material Technology CO., Ltd

Address : Building 3, No. 690 Bibo Road, Pudong New Area, Shanghai, China

Telephone : +86-178-2110-2608 E-mail address : info@heynovachem.com

2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance : liquid Color : colorless

Flammable liquid and vapor. May be harmful if swallowed or in contact with skin. Causes mild skin irritation. Causes serious eye irritation. May cause respiratory irritation. May cause drowsiness or dizziness.

GHS Classification

Flammable liquids : Category 3

Acute toxicity (Oral) : Category 5

Acute toxicity (Dermal) : Category 5

Skin corrosion/irritation : Category 3

Serious eye damage/eye irritation : Category 2A

Specific target organ toxicity -

single exposure

Category 3 (respiratory tract irritation, Narcotic effects)

GHS label elements

Hazard pictograms :





Signal Word : Warning

Hazard Statements : H226 Flammable liquid and vapor.

H303 + H313 May be harmful if swallowed or in contact with skin.

H316 Causes mild skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness.

Precautionary Statements : **Prevention:**

P210 Keep away from heat/ sparks/ open flames/ hot surfaces. No

smoking.



P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.

P264 Wash skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/ eye protection/ face protection.

Response:

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P312 Call a POISON CENTER/ doctor if you feel unwell.

P332 + P313 If skin irritation occurs: Get medical advice/ attention. P337 + P313 If eye irritation persists: Get medical advice/ attention. P370 + P378 In case of fire: Use dry sand, dry chemical or alcoholresistant foam to extinguish.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Physical and chemical hazards

Flammable liquid and vapor.

Health hazards

May be harmful if swallowed. May be harmful in contact with skin. Causes mild skin irritation. Causes serious eye irritation. May cause respiratory irritation. May cause drowsiness or dizziness.

Environmental hazards

Not classified based on available information.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

Components

Chemical name	CAS RN	Concentration (% w/w)
4-Methyl-2-pentanol	108-11-2	98

4. FIRST AID MEASURES

If inhaled : Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER or doctor/ physician if you feel unwell.

In case of skin contact : Take off all contaminated clothing immediately.

If on skin, rinse well with water.

If skin irritation occurs: Get medical advice/ attention.

In case of eye contact : Rinse with plenty of water.

If easy to do, remove contact lens, if worn.



If eye irritation persists: Get medical advice/ attention.

If swallowed : Call a POISON CENTER or doctor/ physician if you feel unwell.

Rinse mouth.

Most important symptoms and effects, both acute and delayed

None known.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Dry powder, Foam, Water spray, Carbon dioxide (CO2)

Specific hazards during fire

fighting

: No information available.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circum-

stances and the surrounding environment.

Immediately evacuate personnel to safe areas.

Remove undamaged containers from fire area if it is safe to do so.

Special protective equipment for

fire-fighters

Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency pro-

cedures

Wear suitable protective equipment.

Keep people away from and upwind of spill/leak.

Ensure adequate ventilation.

Entry to non-involved personnel should be controlled around the

leakage area by roping off, etc.

Environmental precautions : Prevent product from entering drains.

Methods and materials for con-

tainment and cleaning up

Collect as much of the spill as possible with a suitable absorbent

material.

7. HANDLING AND STORAGE

Handling

Technical measures : Prevent generation of vapor or mist.

Take precautionary measures against static discharge.

Use explosion-proof equipment.

Local/Total ventilation : Ensure adequate ventilation.

Handle product only in closed system or provide appropriate exhaust

ventilation at machinery.
Use a local exhaust ventilation.

Advice on safe handling : Avoid contact with skin, eyes and clothing.

Wear personal protective equipment.

Keep away from heat, hot surfaces, sparks, open flames and other

ignition sources. No smoking.

Do not subject to grinding, shock or friction. Wash hands and face thoroughly after handling.

Avoidance of contact : Oxidizing agents

Storage

Conditions for safe storage : Keep container tightly closed.

Store in a cool and shaded area.



Keep in a well-ventilated place. Use explosion-proof equipment. Store locked up.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS RN	Value type (Form of ex- posure)	Control parameters / Permissible con- centration	Basis
4-Methyl-2-pentanol	108-11-2	TWA	20 ppm	ACGIH
		STEL	40 ppm	ACGIH

Engineering measures : Install a closed system or local exhaust.

Also install safety shower and eye bath.

Personal protective equipment

Respiratory protection : Gas mask

Self-contained breathing apparatus

Eye/face protection : Safety glasses

Safety goggles Face-shield

Skin and body protection : Impervious protective clothing

Hand protection : Impervious gloves

*Use personal protective equipment(PPE) approved under appropriate government standards and follow local and national regulations.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : colorless

Odor : No data available

Odor Threshold : 0.070 ppm

pH : No data available

Melting point/freezing point : -90 °C

Boiling point/boiling range : 132 °C

Flash point : 43 °C

Evaporation rate : No data available

Flammability : No data available

Upper explosion limit / Upper

flammability limit

5.5 %(V)

Lower explosion limit / Lower

flammability limit

1 %(V)

Vapor pressure : 0.7 kPa (25 °C)

Relative vapor density : 3.5

Relative density : 0.81



Solubility(ies)

Water solubility : slightly soluble

Solubility in other solvents : soluble

Solvent: Ether

soluble

Solvent: Alcohol

Partition coefficient: n- : 1.43

octanol/water

Autoignition temperature : 370 °C

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Molecular weight : 102.18 g/mol

10. STABILITY AND REACTIVITY

Reactivity : No data available

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : None under normal processing.

Conditions to avoid : Electrical spark

Open flame

Electrostatic discharge

Incompatible materials : Oxidizing agents

Hazardous decomposition prod-

ucts

Carbon monoxide, Carbon dioxide (CO2)

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

Acute oral toxicity : Assessment: The component/mixture is minimally toxic after single

ingestion.

Acute dermal toxicity : Assessment: The component/mixture is minimally toxic after single

contact with skin.

Components:

4-Methyl-2-pentanol:

Acute oral toxicity : LD50 (Rat): 2,590 mg/kg

Assessment: The component/mixture is minimally toxic after single

ingestion.

Acute inhalation toxicity : LCLo (Rat): 2000 ppm

Exposure time: 4 h
Test atmosphere: gas



Assessment: The substance or mixture has no acute inhalation tox-

icity

Acute dermal toxicity : LD50 (Rabbit): 2,883.6 mg/kg

Assessment: The component/mixture is minimally toxic after single

contact with skin.

Skin corrosion/irritation

Product:

Result : Mild skin irritation

Components:

4-Methyl-2-pentanol:

Result : Mild skin irritation

Serious eye damage/eye irritation

Product:

Result : Eye irritation

Components:

4-Methyl-2-pentanol:

Result : Eye irritation

Respiratory or skin sensitiza-

tion

No information available.

Germ cell mutagenicity : No information available.

Carcinogenicity : No information available.

Reproductive toxicity : No information available.

STOT-single exposure

Product:

Assessment : May cause respiratory irritation.

May cause drowsiness or dizziness.

Components:

4-Methyl-2-pentanol:

Assessment : May cause respiratory irritation.

May cause drowsiness or dizziness.

STOT-repeated exposure : No information available.

Repeated dose toxicity : No information available.

Aspiration toxicity : No information available.

RTECS No. : SA7350000 (4-Methyl-2-pentanol)

12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available



Persistence and degradability

No data available

Bioaccumulative potential

Components:

4-Methyl-2-pentanol:

Partition coefficient: n- : 1.43

octanol/water

Mobility in soil

Components:

Distribution among environmen-

tal compartments

Koc: 143

Other adverse effects

4-Methyl-2-pentanol:

No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Disposal in accordance with local and national regulations.

Take precautions against ignition or explode.

Entrust disposal to a licensed waste disposal company.

Contaminated packaging : Disposal in accordance with local and national regulations.

Before disposal of used container, remove contents completely.

14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

UN/ID No. : UN 2053

Proper shipping name : Methyl isobutyl carbinol

Class : 3 Packing group : III

IMDG-Code

UN number : UN 2053

Proper shipping name : METHYL ISOBUTYL CARBINOL

Class : 3
Packing group : III
EmS Code : F-E, S-D

Domestic regulation

GB 6944/12268

UN number : UN 2053

Proper shipping name : METHYL ISOBUTYL CARBINOL

Class : 3 Packing group : III

15. REGULATORY INFORMATION

Regulations on Safety Management of Hazardous Chemicals

Catalogue of Hazardous Chemicals : Listed



The ingredients of this product are reported in the following inventories:

CH BAGREG : On the inventory, or in compliance with the inventory

TSCA : All substances listed as active on the TSCA inventory

AICS : On the inventory, or in compliance with the inventory

DSL : All components of this product are on the Canadian DSL

ENCS : On the inventory, or in compliance with the inventory

ISHL : On the inventory, or in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

NZIoC : On the inventory, or in compliance with the inventory

16. OTHER INFORMATION

Revision Date : 2024/10/05 Date format : yyyy/mm/dd

Disclaimer

This SDS was prepared sincerely based on the information obtained, however, any warranty shall not be given regarding the data contained and the assessment of hazards and toxicity. Prior to use, please investigate not only the hazards and toxicity information but also the laws and regulations of the organization, area and country where the products are to be used, which shall be given the first priority. The products are supposed to be used promptly after purchase in consideration of safety. Some new information or amendments may be added afterwards. If the products are to be used far behind the expected time of use or you have any questions, please feel free to contact us. The stated cautions are for normal handling only. In case of special handling operations, sufficient care should be taken, in addition to the safety measures suitable for the given situation. All chemical products should be treated with the recognition of "having unknown hazards and toxicity", which differ greatly depending on the conditions and handling when in use and/or the conditions and duration of storage. The products must be handled only by those who are familiar with specialized knowledge and have experience or under the guidance of those specialists throughout use from opening to storage and disposal. Safe usage conditions shall be set up on each user's own responsibility.